

## IN THE CLAIMS

*Please amend claims 1-2, 4, 6-7, 10, 12-13, 15-, 17-18, 20-21, and 32-34, and cancel claims 3, 5, 9, 11, 14, 16, 19, and 22, as follows:*

1. (Currently Amended) A method performed by a mobile station for automatically grouping user-specific information items in an e-mail message ~~a user information file stored in the mobile station, each user-specific information item being for use in identifying or contacting a user of the mobile station, the method comprising the acts of:~~ the mobile station maintaining storage of storing a first file for use with a first voice call application of the mobile station, the first file including a first user-specific information item telephone number which is utilized for identifying or contacting the user in the first voice call application[;], the mobile station further maintaining storage of storing a second file for use with a second an e-mail communication application of the mobile station, the second file including a second user-specific information item an e-mail address which is utilized for identifying or contacting the user in the second e-mail communication application[;], the method comprising the acts of:

causing, with use of the e-mail communication application, the e-mail message to be displayed in a display for drafting by the user;

detecting, by the mobile station, a trigger signal a selection of an option to add the user-specific information items to the e-mail message;

in response to detecting the trigger signal selection of the option, automatically grouping, by the mobile station, the user-specific information items in the ~~user information file~~ e-mail message by performing the following acts:

reading, by the mobile station, from the first file stored in the mobile station, the first user-specific information item telephone number which is utilized for identifying or contacting the user in the first voice call application;

storing, by the mobile station, in the ~~user information file~~ e-mail message, the ~~first user specific information item~~ telephone number read from the first file;

~~repeating the acts of~~ reading, by the mobile station, from the second file stored in the mobile station, the ~~second user specific information item~~ e-mail address which is utilized for identifying or contacting the user in the ~~second~~ e-mail communication application; and;

storing, by the mobile station, in the ~~user information file~~ e-mail message, the ~~second user specific information item~~ e-mail address read from the second file, so that the ~~first and the second user specific information items~~ telephone number and the e-mail address are automatically grouped together by the mobile station ~~as user information in the user information file~~ e-mail message in response to detecting the ~~trigger signal~~ selection of the option; and

after the ~~first and the second user specific information items~~ telephone number and the e-mail address have been automatically grouped by the mobile station in the ~~user information file~~ e-mail message, causing the ~~user information file to be inserted in a~~ the e-mail message for transmission to be transmitted from the mobile station.

2. (Currently Amended) The method of claim 1, ~~wherein each one of the first and the second user specific information items comprises one of the following items: a user name associated with an end user of the mobile station; a telephone number of the mobile station; an e mail address associated with an e mail communication application of the mobile station; a Personal Identification Number (PIN) of the mobile station; and an address associated with the end user of the mobile station~~ further comprising:

causing a menu to be displayed in the display, the menu including the option to add the user-specific information items to the e-mail message.

3. (Canceled) ~~The method of claim 1, wherein the first user-specific information item comprises a Personal Identification Number (PIN) of the mobile station.~~

4. (Currently Amended) The method of claim 1, further comprising:

~~maintaining storage of wherein the mobile station stores a third file for use with a third PIN messaging application of the mobile station, the third file including a third user-specific information item personal identification number (PIN) which is utilized for identifying or contacting the user in the third PIN messaging application[;], the method comprising the further acts of:~~

~~repeating the acts of reading, by the mobile station from the third file stored in the mobile station, the third user-specific information item PIN which is utilized for identifying or contacting the user in the third PIN messaging application of the mobile station[,]; and~~

~~storing, by the mobile station in the user information file e-mail message, the third user-specific information item PIN, so that the first, the second, and the third user-specific information items telephone number, the e-mail address, and the PIN are automatically grouped together by the mobile station as user information in the user information file e-mail message in response to detecting the trigger signal selection of the option.~~

5. (Canceled) ~~The method of claim 4, wherein each one of the first, second, and third user-specific information items comprises one of the following items: a user name associated with an end user of the mobile station; a telephone number of the mobile station; an e-mail address associated with an e-mail communication application of the mobile station; a personal identification number (PIN) of the mobile station; and an address associated with the end user of the mobile station.~~

6. (Currently Amended) The method of claim 1, further comprising:

sending the e-mail message from the mobile station to one or more recipients via a wireless communication network.

7. (Currently Amended) The method of claim 1, further comprising:

sending the e-mail message through an e-mail communication to one or more recipients via a wireless communication network.

8. (Canceled)

9. (Canceled) ~~The method of claim 1, wherein the trigger signal is based on an expiration of a timer.~~

10. (Currently Amended) The method of claim 1, wherein the trigger signal is produced in response to ~~a user input request for the user information~~ a user selection of the option.

11. (Canceled) ~~The method of claim 1, wherein the trigger signal is produced in response to an update to any one of the user specific information items in the first or the second files.~~

12. (Currently Amended) A mobile station, comprising:  
a wireless transceiver;  
a processor coupled to the wireless transceiver;  
a user interface coupled to the processor, the user interface comprising a display;  
memory coupled to the processor;

the memory being configured to maintain storage of a first file for use with a first voice call application of the mobile station, the first file including ~~the first user specific information item~~ a telephone number which is utilized for identifying or contacting a user of the mobile station in the first voice call application;

the memory being further configured to maintain storage of a second file for use with a second electronic mail (e-mail) application of the mobile station, the second file including ~~the second user specific information item~~ an e-mail address which is utilized for identifying or contacting the user of the mobile station in the second e-mail communication application;

~~the memory being further configured to maintain storage of a user information file;~~

the processor being configured to cause an e-mail message to be displayed in the display, with use of the e-mail communication application, for drafting by the user;

the processor being configured to detect ~~a trigger signal~~ a selection of an option to add user-specific information items to the e-mail message;

the processor being further configured to automatically group at least the ~~first and the second user specific information items~~ telephone number and the e-mail address in the ~~user information file~~ e-mail message in response to detecting the ~~trigger signal~~ selection of the option, by performing the following acts:

reading, by the processor from the first file, the ~~first user specific information item~~ telephone number which is utilized for identifying or contacting the user in the first voice call application;

storing, by the processor in the ~~user information file~~ e-mail message, the ~~first user specific information item~~ telephone number read from the first file;

~~repeating the reading~~, by the processor from the second file, the ~~second user specific information item~~ e-mail address which is utilized

for identifying or contacting the user in the second e-mail communication application[, and the];

storing, by the processor in the ~~user information file~~ e-mail message, the ~~second user specific information item~~ e-mail address read from the second file, so that the ~~first and the second user specific information items~~ telephone number and the e-mail address are automatically grouped together as ~~user information~~ in the ~~user information file~~ e-mail message in response to detecting the ~~trigger signal~~ selection of the option; and

after the ~~first and the second user specific information items~~ telephone number and the e-mail address have been automatically grouped by the processor in the ~~user information file~~ e-mail message, causing the ~~user information file to be inserted in a~~ e-mail message for transmission to be transmitted, via the wireless transceiver, from the mobile station.

13. (Original) The mobile station of claim 12, wherein ~~each one of the first and the second user specific information items comprises one of the following items: a user name associated with an end user of the mobile station; a telephone number of the mobile station; an e mail address associated with an e mail communication application of the mobile station; a personal identification number (PIN) of the mobile station; and an address associated with the end user of the mobile station~~ the processor is further configured to cause a menu to be displayed in the display, the menu including the option to add the user-specific information items to the e-mail message.

14. (Canceled) ~~The mobile station of claim 12, wherein the first user specific information item comprises a Personal Identification Number (PIN) of the mobile station which is utilized for PIN messaging.~~

15. (Currently Amended) The mobile station of claim 12, wherein the memory is further configured to maintain storage of a third file for use with a third PIN messaging application of the mobile station, the third file ~~having including a third user specific information item~~ personal identification number (PIN) which is utilized for identifying or contacting the user in the ~~third PIN messaging~~ application, and the processor is further configured to:

~~repeat the reading, by the processor from the third file, the third user specific information item~~ PIN which is utilized for identifying or contacting the user in the ~~third PIN messaging~~ application[, and the]; and

storing, by the processor in the ~~user information file~~ e-mail message, the ~~third user specific information item~~ PIN, so that the ~~first, the second, and the third user specific information items~~ telephone number, the e-mail address, and the PIN are automatically grouped together by the processor ~~as user information in the user information file~~ e-mail message in response to detecting the ~~trigger signal~~ selection of the option.

16. (Original) The mobile station of claim 15, wherein each one of the first, second, and third user-specific information items comprises one of the following items: a user name associated with an end user of the mobile station; a telephone number of the mobile station; an e-mail address associated with an e-mail communication application of the mobile station; a personal identification number (PIN) of the mobile station; and an address associated with the end user of the mobile station.

17. (Currently Amended) The mobile station of claim 12, wherein the processor is further configured to:

cause the e-mail message to be sent through the wireless transceiver to one or more recipients.

18. (Currently Amended) The mobile station of claim 12, wherein the processor is further configured to:

cause the e-mail message to be sent by e-mail communication through the wireless transceiver to one or more recipients.

19. (Canceled) ~~The mobile station of claim 12, wherein the trigger signal is produced in response to an expiration of a timer.~~

20. (Currently Amended) The mobile station of claim 12, wherein the trigger signal is produced in response to ~~a user input request for the user information~~ a user selection of the option.

21. (Currently Amended) The mobile station of claim 12, wherein the ~~first user specific information item~~ telephone number comprises an International Mobile Subscriber Identification (IMSI) ~~and the memory comprises at least in the first file which is in~~ a Subscriber Identity Module (SIM) or Removable User Identity Module (R-UIM).

22. (Canceled) ~~The mobile station of claim 12, wherein the trigger signal is responsive to an update to any one of the user specific information items in the first or the second files.~~

23-31. (Canceled)

32. (Currently Amended) A method for use in a mobile station for automatically grouping ~~user specific information items of~~ user contact information for a user of the mobile station in a user information file ~~stored in the mobile station~~, the mobile station having a processor, a user interface, and memory coupled to the processor, the memory being configured to maintain storage of a first file for a voice call application of the mobile



station, the first file including a telephone number which is utilized for identifying or contacting the user in the voice call application, the memory being configured to maintain storage of a second file for an e-mail application of the mobile station, the second file including an e-mail address which is utilized for identifying or contact the user in the e-mail application, the method comprising the acts of:

causing, with use of the e-mail communication application, the e-mail message to be displayed in a display for drafting by the user;

detecting, by the mobile station, ~~a trigger signal~~ a selection of an option to add user contact information to the e-mail message;

in response to detecting the ~~trigger signal~~ selection of the option, automatically grouping, by the mobile station, the telephone number and the e-mail address in the user information file by performing the following acts:

reading, by the mobile station from the first file, the telephone number which is utilized for identifying or contacting the user in the voice call application;

storing, by the mobile station in the user information file, the telephone number read from the first file; and

~~repeating the acts of~~ reading, by the mobile station from the second file, the e-mail address which is utilized for identifying or contacting the user in the e-mail application[, and];

storing, by the mobile station in the user information file, the e-mail address read from the second file, so that the telephone number and the e-mail address are automatically grouped together by the mobile station ~~as user information~~ in the user information file in response to detecting the ~~trigger signal~~ selection of the option;

inserting the user information file into the e-mail message; and

causing the e-mail message with the inserted user information file to be transmitted from the mobile station.

33. (Currently Amended) The method of claim 32, wherein the memory is further configured to maintain storage of a third file for a Personal Identification Number (PIN) messaging application of the mobile station, the third file having a PIN which is utilized for identifying or contacting the user in the PIN messaging application, the method further comprising:

~~repeating the acts of~~ reading, by the mobile station from the third file, the PIN which is utilized for identifying or contacting the user in the PIN messaging application[, ] and

storing, by the mobile station in the user information file, the PIN read from the third file, so that the telephone number, the e-mail address, and the PIN are automatically grouped together by the mobile station as user information in the user information file.

34. (Currently Amended) The method of claim 32, further comprising:

~~sending, from the mobile station, the user information file in a message to one or more recipients via a wireless communication network~~

causing a menu to be displayed in the display, the menu including the option to add the user-specific information items to the e-mail message.